第26回日本認知症学会学術集会プログラム

会長 本間 昭

東京都老人総合研究所 認知症介入研究グループ

開催日:平成19年10月17日(水)~10月18日(木)

会場:大阪国際会議場(Grand Cube Osaka)

本年度学術集会は第13回国際老年精神医学会 IPA との合同開催となっております。口頭・ポスター発表の形式等は IPA と共通ですので、下記を参考にご発表のご用意をお願い申し上げます。

日程一覧: http://www.congre.co.jp/ipa2007/prog_glance.html
発表形式: http://www.congre.co.jp/ipa2007/free_oral.html

第 26 回日本認知症学会学術集会事務局 東京都老人総合研究所 認知症介入研究グループ内 〒173-0015 東京都板橋区栄町 35-2

Phone: (03) 3964-3241 x3104 / FAX: (03) 3579-4776

Email: demenz1@tmig.or.jp

大阪国際会議場

〒530-0005 大阪市北区中之島5丁目3番51号 Phone: (06)4803-5555(代) / FAX: (06)4803-5620

http://www.gco.co.jp

第 13 回国際老年精神医学会(IPA 2007 Osaka Silver Congress) http://www.ipa-online.org

第26回認知症学会参加者へのお知らせ

- 1. 第 26 回日本認知症学会は 10 月 17 日と 18 日の 2 日間にわたって大阪国際会議場 (Grand Cube Osaka)の 10 階 Hall C (1003)で認知症学会の3つのシンポジウムが、3 階でポスター発表が開催されますが、国際老年精神医学会と合同での開催です。従って、認知症学会の当日の参加登録は国際老年精神医学会(IPA 2007 Osaka Silver Congress)への参加登録となります。国際老年精神医学会の登録受付で登録をお願いします。
- 2. 抄録集は学会機関誌 Dementia 第 21 巻第 2 号に掲載されます。非会員は学会場でお買い求めください(1 冊 3,000 円)。認知症学会のポスター発表の抄録は IPA の抄録集(International Psychogeriatrics の増刊号としてコングレスバッグに含まれます)に掲載されていますが、認知症学会のシンポジウムの抄録は IPA の抄録集には掲載されていませんのでご注意ください。
- 3. 演者へのお知らせ

ポスター発表を含むすべての発表は IPA の発表方法に従います。

認知症学会のポスター発表は 10 月 17 日と 18 日の両日にわたって行われます。2 日間 貼りっぱなしとなります。Poster viewing は 10:10-10:45 と 15:45-16:30 の午前と午後それぞれ 1 回ずつの break の時間に設定されています。従って、ポスターは遅くとも 10 月 17 日の午前 10:10 までには張り出してください。発表時間や座長は指定しておりません。

- 4. シンポジウムの座長の先生方へ
 - 打ち合わせが必要な場合は Conference room 501 (認知症学会本部) をお使いください。
- 5. **総会は10月18日 14:00-15:00 に Room 1009** で開催されます。ぜひご参加ください。
- 6. 各種委員会は下記の通り開催されます。

10月16日

- 10:00-11:00 基礎研究推進に関する委員会 (Rm805)
- 11:00-12:00 企画委員会 (Rm805)
- 12:00-15:00 専門医認定制度委員会 昼食付き (Rm805)
- 15:00-16:00 機関誌編集委員会 (Rm805)
- 16:00-18:00 理事会 (Rm805) 夕食は Gala Dinner があるため用意しておりません。

10月17日

12:30-14:00 評議員会 (Rm1009)

10月18日

12:30-13:45 学会奨励賞委員会(昼食含) (Rm501)

SYMPOSIUM 1: OLIGOMER ABETA IS THE NEW CULPRIT OR THERAPEUTICS? 8:40-10:10 am, October 17, Hall C (1003)

Chair: Hiroshi Mori (Osaka City University)

1. Takami Tomiyama (Osaka City University)

Oligomer Aßin animal models and human patients

2. Katsuhiko Yanagisawa (National Institute for Longevity Sciences)

A ganglioside-induced toxic soluble AB assembly

3. William L. Klein (Northwestern U.)

Why Alzheimer's is a disease of memory: The attack on synapses by Aβ oligomers (ADDLs)

SYMPOSIUM 2: PROGRANULIN AND TDP-43

16:30-18:00 pm, OCTOBER 17, Hall C (1003)

Chairs: Takeshi Iwatsubo (Tokyo University)

Masato Hasegawa (Tokyo Institute of Psychiatry)

1. Mike Hutton (Department of Neuroscience, Mayo Clinic College of Medicine, USA)

The role of progranulin (PGRN) in neurodegenerative diseases

- 2. Ian R.A. Mackenzie (Department of Pathology, University of British Columbia, Canada) The Clinical and Neuropathological Phenotype of FTD with Progranulin Mutations.
- 3. Manuela Neumann (Center for Neuropathology and Prion Research, Ludwig Maximilians University Munich, Germany)

Neuropathological spectrum of familial and sporadic TDP-43 proteinopathies.

4. Tetsuaki Arai (Department of Psychogeriatrics, Tokyo Institute of Psychiatry, Japan) Accumulation of phosphorylated TDP-43 in neurodegenerative disorders.

シンポジウム 3:認知症診療と専門医

8:40-10:10, am, October 18, Hall C (1003)

座長:本間昭(東京都老人総合研究所)

- 1. 井原康夫 (同志社大生命医科学部準備室): 専門医制度に関する概説
- 2. 中島健二 (鳥取大神経内科):日本認知症学会専門医制度設立に関する経緯
- 3. 藤本直規 (藤本クリニック): 臨床現場からの専門医に対する期待
- 4. 佐々木健(厚生労働省老健局計画課認知症・虐待防止対策推進室認知症対策専門官)日本認知症学会専門医制度に期待すること

Alzheimer's Disease

P2-060 Involvement of the prostaglandin E₂ receptors, EP2 and EP4, in the production of amyloid-β peptides both *in vitro* and *in vivo*

Graduate School of Medical and Pharmaceutical Sciences, Kumamoto University, Kumamoto, Japan

Tatsuya Hoshino

P2-061 Angiotensin-converting enzyme converts Aβ1-42 to Aβ1-40 and its inhibition enhances brain Aβ deposition

Department of Alzheimer's Disease Research, National Institute for Longevity Sciences, NCGG, Obu, Japan

Kun Zou

P2-062 ATP-binding cassette transporter G4 is highly expressed in Alzheimer brain.

Department of Neurology and Healthcare, Fukuoka University Hospital

Yoshinari Uehara

P2-063 Suppression of APP metabolism by DHHC family proteins

Laboratory of Neuroscience, Graduate School of Pharmaceutical Sciences, Hokkaido University, Sapporo, Japan

Chie Mizumaru

P2-064 Tissue analysis of growth hormone (GH) and α -melanocyte-stimulating hormone (α -MSH) in pituitaries of Alzheimer's patients (AD)

Choju Medical Institute, Fukushimura Hospital, Toyohashi, Japan

Hiroyasu Akatsu

P2-065 Specific binding of Aβ42 mimic peptides to prefibrillar soluble oligomer resulting in the inhibition of Aβ42-fibrillation

Department of Bioengineering, Faculty of Engineering, Kagoshima University, Kagoshima, Japan

Koichi Tanaka

P2-066 Amyloid β N-terminal-end specific monoclonal antibody 82E1 reduced β-amyloid toxicity in culture cells and cerebral amyloidosis in an Alzheimer mouse model.

Immuno-Biological Laboratories Co., Ltd., Gunma, Japan

Yuko Horikoshi-Sakuraba

P2-067 Expression of reticulon 3 in Alzheimer's disease brain

Natonal Insitute of Neuroscience, NCNP, Tokyo, Japan

Wataru Araki

P2-068 4 cases of clinically diagnosed as Alzheimer's disease without accumulation of amyloid in the brain revealed by PIB-PET.

Department of Physiology, Osaka City University Graduate School of Medicine, Suzuka Ataka

P2-069 Familial Danish dementia: Co-existence of Danish and Alzheimer amyloid subunits (ADan and Aβ) in the absence of compact plaques

Department of Neurology, University of Tsukuba, Tsukuba, Japan

Yasushi Tomidokoro

P2-070 Application of brief-neuropsychological scale to patients with Alzheimer's disease in early stage.

Department of Neuropsychiatry, Graduate School of Medicine and Pharmaceutical Sciences, University of Toyama, Toyama, Japan

Kanade Kato

P2-071 Peripheral ethanolamine plasmalogen deficiency in SDAT: cause or effect?

Phenomenome Discoveries Inc., Saskatoon, SK, Canada

Yasuyo Yamazaki

P2-072 How does the people with severe dementia engage objects in daily life? - Pilot study

-

Department of Health Sciences, Faculty of Medicine, University of Kyoto, Kyoto, Japan Haruna Shirai

P2-073 Nutritional support for the patient of frontotemporal dementia(FTD): a case report

Okehazama hospital,psychiatry,Aichi,Japan

Tatsuyo Suzuki

P2-074 Enhanced accumulation of phosphorylated α-synuclein in double transgenic mice expressing mutant βAPP and presenilin-1

Department of Neurology, Okayama University Graduate School of Medicine, Dentistry and Pharmacy, Okayama, Japan

Tomoko Kurata

P2-075 Understanding functional proteins of γ-42cleavage by proteomics analysis

Department of Post-Genomics and Diseases, Division of Psychiatry and Behavioral Proteomics, Osaka University Graduate School of Medicine, Osaka, Japan Takashi Oguri

P2-076 Alteration of concanavalin A binding glycoproteins in cerebrospinal fluid and serum of Alzheimer's disease patients

Division of Clinical Laboratory, Clinical Facilities, Tottori University Hospital, Tottori University, Yonago, Japan

Yuki Hashimoto

P2-077 Serum glycoprotein as a new diagnostic marker for Alzheimer's disease

Department of Biological Regulation, Faculty of Medicine, Tottori University, Japan Yuka Nakamura

P2-078 Continued report of cognitive improvement on patients with Alzheimer's disease by aromatherapy.

Section of Environment and Health Science, Department of Biological Regulation, School of Health Science, Faculty of Medicine, Tottori University.

Daiki Jimbo

P2-079 Beta cleavage by BACE1: New processing mechanism and BACE1 structure

RIKEN Brain Science Institute

Nobuyuki Nukina

P2-080 Additional factors alter ε-cleavage precision of Amyloid precursor protein in *in vitro* γ-secretase assay

Psychiatry, Department of Integrated Medicine, Division of Internal Medicine, Osaka University Graduate School of Medicine, Osaka, Japan

Kohji Mori

P2-081 An autopsy case of familial Alzheimer's disasea with a novel mutation (D678N) in the APP gene

Department of Neurology, Institute of Neurological Sciences, Tottori University, Yonago, Japan

Kenji Wada-Isoe

P2-082 Discontinuation of donepezil in geriatric clinic

Department of Geriatrics, Nagoya University Graduate School of Medicine Hiroyuki Umegaki

P2-083 Living with early-stage Alzheimer's disease in Japan - perspectives from afflicted

Faculty of Health Science, Tokyo Metropolitan University, Tokyo, Japan

Towako Katsuno

Behavioural and Psychological Symptoms of Dementia

P2-085 Effects of Yokukansan on BPSD and memory disturbance induced by thiamine deficiency in mice

Tsumura Research Laboratories, Tsumura & Co., Ibaraki, Japan

Takuji Yamaguchi

P2-086 Effect of Yokukansan on thiamine deficient-induced encephalopathy in rats: electron microscopic analysis

TSUMURA Research Laboratories, TSUMURA & CO., Ibaraki, Japan

Seiichi Iizuka

P2-087 Characteristics of Yokukansan-therapy on aggressiveness induced by intraventricular Aβ-injection in mice

Tsumura Research Laboratories, Tsumura & Co., Ibaraki, Japan

Kyoji Sekiguchi

P2-088 An Asian traditional medicinal herb, Uncaria rhynchophylla, protects neuronal cells through transcription factor regulation

Center for Asian Traditional Medicine

Katsutoshi Furukawa

P2-089 Novel therapeutic strategies useful for Alzheimer's disease from medicinal herbs and traditional Chinese medical formula

Department of Geriatrics and Gerontology Center for Asian Traditional Medicine, Tohoku University Graduate School of Medicine, Sendai, Japan Hironori Fujiwara

Caregiver Issues

P2-117 The relationship between stress reaction and the attitudes towards dementia-related aggression among Japanese formal caregivers.

Kagawa Prefectural College of Health Sciences Hiroe Hitomi

P2-118 Effect to professional caregivers of reminiscence group therapy for the elderly with dementia

Department of Clinical Psychology, Faculty of Health and Welfare, Kawasaki University of Medical Welfare, Kurashiki, Japan

Yumiko Okumura

Cellular and Animal Models

P2-119 MR tracking of microglia transplanted in Alzheimer model rats

Molecular Neuroscience Research Center, Shiga University of Medical Science, Shiga, Japan

Ikuo Tooyama

P2-120 LGI3 accumulates in endocytic pathway of aged monkey brains; LGI3 colocalizes with Aβ in vivo

The Corporation for Production and Research of Laboratory Primates, Ibaraki, Japan Sachi Okabayashi

P2-121 Effects of chronic exposure to aluminum in drinking water on an animal model of tauopathies

Department of Neuropsychiatry, Okayama University Graduate School of Medicine, Dentistry and Pharmaceutical Sciences

Etsuko Oshima

P2-122 Aβ accumulation causes postsynaptic damage in Tg2576 mice

Department of Neurology, Institute of Brain Science, Hirosaki University Graduate School of Medicine, Hirosaki, Japan

Yasuhito Wakasaya

P2-123 Tau protein phosphorylation by oxidative stress via c-jun N-terminal kinase (JNK) activation

Department of Neurology, Tokyo Medical and Dental University, Tokyo, Japan Nobuo Sanjo

P2-124 Aging attenuates dynactin-dynein interaction: down-regulation of dynein causes accumulation of enodogenous tau and APP in human neuroblastoma cells

Laboratory of Disease Control, Tsukuba Primate Research Center, National Institue of Biomedical Innovation, Ibaraki, Japan

Nobuyuki Kimura

P2-125 Immunohistochemical study on TDP-43 protein in amyotrophic lateral sclerosis/parkinsonism-dementia complex of the Kii peninsula of Japan

Department of Neurology, Mie University Graduate School of Medicine, Mie, Japan Yasumasa Kokubo

P2-126 CRB2 binds to presentiin complexes resulting in inhibited secretion of amyloid-β peptides

Molecular Neuroscience Research Center, Shiga University of Medical Science, Otsu, Japan

Masaki Nishimura

P2-127 Characteristics of y-secretase activities in I213T mutant PS1 knock-in mice brain

Lab. for Alzheimer's disease, BSI, RIKEN, Saitama, Japan Masafumi Shimojo

P2-128 Different phenotypes of mouse expressing human wild and mutant P301L tau.

Laboratory for Alzheimer's Disease, Brain Science Institute, RIKEN, Saitama, Japan Tetsuya Fukuda

P2-129 The JAK2/STAT3 signaling axis regulates memory in Alzheimer's disease

Department of Anatomy, Keio University, School of Medicine Tomohiro Chiba

P2-130 GABA-related acceleration of aging process in Alzheimer's model mouse

Lab for Alzheimer's Disease, Brain Science Institute, RIKEN, Saitama, Japan Yuji Yoshiike

P2-131 Evaluation of the dopaminergic system in the substantia nigra in aging-accelerated

Department of Neurology, School of Medicine, Keio University, Tokyo, Japan Arifumi Kosakai

P2-132 Analysis of transgenic mice overexpressing mutant tau and GSK-3β

Gunma University Graduate School of Medicine, Maebashi , Gunma, Japan Masaki Ikeda

Cognitive-Behavioral Therapy

P2-135 Hydrogen acts as a therapeutic antioxidant by selectively reducing cytotoxic oxygen radicals in the nervous system

Department of Biochemistry and Cell Biology, Institute of Development and Aging Sciences, Graduate School of Medicine, Nippon Medical School, Kawasaki, Japan Ikuroh Ohsawa

P2-136 Design report: Randomized prospective learning therapy study on elderly Japanese in Osaka

Department of Psychiatry Osaka University Graduate School of Medicine, Tokyo, Japan Takashi Morihara

Dementia with Lewy Bodies and Parkinson's Disease Dementia

P2-137 Classification of psychotic symptoms in dementia with Lewy bodies

Geriatric Neurology, Shiga Medical Center, Moriyama, Japan Yasuhiro Nagahama

P2-138 Neurosin cleaves the NAC region of α-synuclein

Department of Neurology, Kyoto Prefectural University of Medicine , Kyoto, Japan Takashi Kasai

Diagnostic Methods

P2-142 Value of CSF-Aβ42, total tau protein, phospholyrated tau protein in the differential diagnosis of DLB from AD: comparison with ¹³¹I-MIBG radioactivity.

Department of Neurology and Neurobiology of Aging, Kanazawa, Japan Moeko Shinohara

P2-143 Development of DNA microarray-based high-throughput gene analysis system and its application to the molecular diagnosis of familial Alzheimer's disease

Department of Neurology, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan

Yuji Takahashi

P2-144 A Novel ELISA system for endogenous mouse Amyloid-beta 1-40 in blood.

Immuno-Biological Laboratories Co., Ltd Nobuhiro Maruyama

P2-145 Stage Estimation of Dementia(SED):A proposal of a practical method for estimation of the stage in the course of dementia for the clinician.

Kiyohara Ryu Mental Clinic

Tatsuo Kiyohara

Fronto-Temporal Dementia

P2-154 Clinicopathological spectrum of amyotrophic lateral sclerosis (ALS) and frontotemporal lobar degeneration (FTLD) on TDP-43 immunohistochemistry in Japan

Department of Neuropathology, Institute for Medical Science of Aging, Aichi Medical University, Aichi, Japan

Mari Yoshida

P2-155 FTDP-17 mutation modify the intermediate formation of tau filament

RIKEN Brain Science Institute

Sumihiro Maeda

Genetics

P2-162 Gender-related genetic loci associated with late-onset Alzheimer's disease on chromosome 10q

Niigata University, Niigata, Japan

Akinori Miyashita

P2-163 Association study of alpha-synuclein gene polymorphism in autopsy-confirmed degenerative dementia

Department of Geriatric Medicine, Ehime University Graduate School of Medicine, Ehime, Japan

Tetsuro Miki

P2-164 Two Japanese CADASIL families exhibiting R75P mutation of Notch3 not involving cysteine residue

Department of Molecular Neurology, Kyoto Prefectural University of Medicine, Kyoto, Japan

Toshiki Mizuno

P2-165 Driving problems arising from dementia and various cognitive impairments

Department of Geriatrics, Medicine in Growth and Aging, Program in Health and Community Medicine, Nagoya University Graduate School of Medicine Naoko Kawano

Mild Cognitive Impairment

P2-166 A study of awareness of memory deficits in patients with dementias

Department of Geriatric Medicine, Tokyo Medical University, Tokyo, Japan Haruo Hanyu

Molecular Biology

P2-201 N-cadherin enhances extracellular secretion of Aβ and modulates Aβ42/40 ratio

Department of Neurology, Kyoto University Graduate School of Medicine, Kyoto, Japan Kengo Uemura

P2-202 Participation of Alcadein α and its proteolytic product in the axonal transport of APP and the generation of A β

Laboratory of Neuroscience, Graduate School of Pharmaceutical Sciences, Hokkaido University, Sapporo, Japan

Takanori Kawano

P2-203 Increased autophagic activity might not automatically induce amyloid β protein production

Department of Neurology, Gunma University Graduate School of Medicine, Maebashi, Gunma, Japan

Kouki Makioka

P2-204 Apo E isoform dependent cholesterol efflux is caused by intra-molecular domain interaction and inter-molecular dimerization

Deprt of Alzheimer's dis Res, NILS, National Center for Geriatrics and Gerontology, Obu, Japan

Hirohisa Minagawa

P2-205 Aβ amyloid accelerates accumulation of tau in neuronal processes

Department of Neurology, Institute of Brain Science, Hirosaki University Graduate School of Medicine, Hirosaki, Japan

Yusuke Seino

P2-206 Quantitative change of APH-1 and presentilin in culture cells under various type of endoplasmic reticulum (ER) stress

Department of Neurology, Tokyo Medical and Dental University, Tokyo, Japan Nobuo Sanjo

P2-207 Dephosphorylation of Cdk5-phosphorylated FTDP-17 mutant tau

Department of Biological Sciences, Graduate School of Science, Tokyo Metropolitan University, Tokyo, Japan

Kensuke Yotsumoto

P2-208 Mutational analysis in early-onset familial Alzheimer's disease in Japanese population revealed *PSEN1* mutations, *MAPT* R406W mutation, and *APP* duplication

Department of Molecular Neuroscience, Brain Research Institute, Niigata University, Niigata, Japan

Takeshi Ikeuchi

P2-209 Assembly of two distinct dimers and higher-order oligomers from human full-length tau

Laboratory for Alzheimer's Disease, RIKEN Brain Science Institute, Wako-shi, Japan Naruhiko Sahara

P2-210 Phosphatidylinositol 3-kinase/AKT pathway alters the ubiquitination of the γ-secretase complex and modulates its proteasomal degradation.

Department of Neurology, Faculty of Medicine, Kyoto University, Kyoto, Japan Nobuhisa Aoyagi

P2-211 Non-astrocytic expression of apolipoprotein E in the brain

Department of Neurology, Tokyo Metropolitan Institute for Neuroscience, Tokyo, Japan Toshiki Uchihara

P2-212 Contribution of endogenous GRKs to phosphorylation of alpha-synuclein at Ser129 in cultured cells

Department of Neurology, Hematology, Metabolism, Endocrinology and Diabetology, Yamagata University Faculty of Medicine, Yamagata, Japan Hiroyasu Sato

P2-213 Effects of phosphoinisitides on gamma-secretase activity in detergent soluble/insoluble states

Neuropathology, Faculty of Medicine, The University of Tokyo, Tokyo, Japan Satoko Osawa

P2-214 The expression of mPGES-1 relevant to Alzheimer's disease pathology in mouse model of Alzheimer's disease

Department of Clinical Pharmacology, Faculty of pharmaceutical Sciences, Fukuoka University, Fukuoka, Japan Masahiro Haji

Nursing

P2-215 The understanding of prevention methods for dementia: a questionnaire survey for attendants at a dementia lecture

The University of Tokushima, Graduate School of Health Sciences, Department of Community and Psychiatric Nursing

Toshiko Tada

Other

P2-247 The Brain Bank for Aging Research Project

Department of Neuropathology, Tokyo Metropolitan Institute of Gerontology Shigeo Murayama

P2-249 CSF orexin levels in patients with neurodegenerative diseases

Department of Neurology, Institute of Neurological Sciences, Faculty of Medicine, Tottori University, Yonago, Japan Kenichi Yasui

Other Dementias

P2-250 Leucine-rich α-2-glycoprotein is a potential biological marker for idiopathic normal pressure hydrocephalus .

Department of Neurosurgery, Juntendo University School of Medicine, Tokyo, Japan Madoka Nakajima

P2-251 Prevalence of medical comorbidity in patients with dementia

Department of Geriatric Medicine, Tokyo Medical University Hospital, Tokyo, Japan Hirofumi Sakurai

P2-252 Pathological features of the Gallyas- and Tau-positive glia in the amyotrophic lateral sclerosis and parkinsonism-dementia complex of Kii peninsula of Japan

Department of Neurology, Mie Univercity Graduate School of Medicine Atsushi Niwa

P2-253 Clinical database for dementia of the National Center for Geriatrics and Gerontology

National Center for Geriatrics and Gerontology, Obu, Japan Yukihiko Washimi

P2-254 Proteomic analysis of microvessels of CADASIL brain

Department of Vasucular Dementia Research, National Institute for Longevity Sciences, Obu, Japan

Atsushi Watanabe

Service Delivery

P2-259 Case study on a schizophrenic patient complicated with dementia -Focusing on the intervention by occupational therapist

Juridical Foundation The Institute of Clinical Psychiatry, Tokyo, Japan Atsushi Ohata

The Role of Assistive Technologies

P2-260 Preventive measures and fact finding research on senile dementia and depression in the cold climate

Department of foreign language, Hokkaido Bunkyo University Kiyoko Kamada

Treatments for Dementia

P2-261 Characterization of therapeutic antibody against Aβ oligomers for Alzheimers disease

Department of Alzheimers Disease Research, National Institute for Longevity Sciences, National Center for Geriatrics and Gerontology, Obu, Japan Hui Sun

P2-262 Quantitation of amyloid β protein in cerebrospinal fluid from patients taking various statins in comparison with control subjects

Medical Sciences for Control of Pathological Processes, the Graduate School of Comprehensive Human Sciences, University of Tsukuba

Hirotsugu Harada

P2-263 Snapshots of Amyloid-beta 1-42 conformers by human antibody-displaying phage library

Department of Bioengineering, Faculty of Engineering, University of Kagoshima, Kagoshima, Japan Sho Takiguchi

P2-264 A new therapeutic agent for Alzheimer disease: Modulation of reactive astrocytes by arundic acid (ONO-2506) reduces amyloidogenesis in Alzheimer transgenic mice

Institute of Medical Science, Department of Pathology, Saitama Medical Center/Saitama Medical University, Saitama, Japan

Yoshiko Nojima

P2-265 A new therapeutic agent for Alzheimer disease: Arundic acid (ONO-2506) attenuates cerebral amyloidosis and gliosis in Alzheimer transgenic mice

Institute of Medical Science, Department of Pathology, Saitama Medical Center/Saitama Medical University, Saitama, Japan

Takashi Mori

Masafumi Sakono

P2-266 Inhibition of amyloid beta fibrillation and formation of soluble amyloid oligomers by molecularchaperone

JST PRESTO/RIKEN Bioengineering lab

Vascular Cognitive Impairment and Vascular Dementia

P2-281 Discussion of dominant brain in vascular dementia of internal thalamic infarction - comparison of two cases of various-side internal thalamic infarction -

Department of Internal Medicine Sanoigawatani Hospital, Kobe, Japan Tetsuo Mizuhara

Other (Free Communication)

FC02-01 Development of the Japanese version care planning assessment tool (J-CPAT): reliability and validity studies

Yuai Clinic, Yuaikai, Saga, Japan Sumiko Kanegae

Mild Cognitive Impairment (Free Communication)

FC11-01 The impaired imitation of meaningless-movement in mild cognitive impairment and early-stage Alzheimer's disease

Department of Geriatrics, Medicine in Growth and Aging, Program in Health and Community Medicine, Nagoya University Graduate School of Medicine.

Naoko Kawano

Symposium

S30-5 Value of analyzing deep gray matter and occipital lobe perfusion to differentiate dementia with Lewy bodies from Alzheimer's disease

Department of Geriatric Medicine, Tokyo Medical University, Tokyo, Japan Soichiro Shimizu

S30-8 Striatal alpha-synuclein accumulation in dementia with Lewy bodies

Department of Neurology, Juntendo University School of Medicine, Tokyo, Japan Kimiko Obi