

英文報告

(1)英文原著

No.	Author	Title	Journal	Vol.	Page	Year
1	Aizawa N, Ichihara K, Fukuhara H, Fujimura T, Andersson K.E, Homma Y, Igawa Y.	Characteristics of the mechanosensitive bladder afferent activities in relation with microcontractions in male rats with bladder outlet obstruction.	Sci Rep	7	7646	2017
2	Aizawa N, Ito H, Sugiyama R, Fujimura T, Fukuhara H, Kume H, Homma Y, Igawa Y.	Effects of Sildenafil, a Phosphodiesterase Type 5 Inhibitor, on the Primary Single Afferent Activity of the Rat Bladder.	Low Urin Tract Symptoms	9	57–61	2017
3	Aizawa N, Wakamatsu D, Kida J, Otsuki T, Saito Y, Matsuya H, Homma Y, Igawa Y.	Inhibitory effects of retigabine, a Kv7 channel activator, on mechanosensitive primary bladder afferent activities and nociceptive behaviors in rats.	Neurorol Urodyn	36	280–285	2017
4	Fujimura T, Fukuhara H, Taguchi S, Yamada Y, Sugihara T, Nakagawa T, Niimi A, Kume H, Igawa Y, Homma Y.	Robot-assisted radical prostatectomy significantly reduced biochemical recurrence compared to retro pubic radical prostatectomy.	BMC Cancer	17	454	2017
5	Gong, X., Z. Siprashvili, O. Eminaga, Z. Shen, Y. Sato, H. Kume, Y. Homma, S. Ogawa, P. A. Khavari, J. R. Pollack and J. D. Brooks	Novel lincRNA SLINKY is a prognostic biomarker in kidney cancer.	Oncotarget	8	18657–18669	2017
6	Homma Y, Gotoh M, Kawauchi A, Kojima Y, Masumori N, Nagai A, Saitoh T, Sakai H, Takahashi S, Ukimura O, Yamanishi T, Yokoyama O, Yoshida M, Maeda K.	Clinical guidelines for male lower urinary tract symptoms and benign prostatic hyperplasia.	Int J Urol	24	716–729	2017
7	Ichihara K, Aizawa N, Akiyama Y, Kamei J, Masumori N, Andersson K.E, Homma Y, Igawa Y.	Toll-like receptor 7 is overexpressed in the bladder of Hunner-type interstitial cystitis, and its activation in the mouse bladder can induce cystitis and bladder pain.	Pain	158	1538–1545	2017
8	Kamei J, Yagihara Y, Kume H, Horiuchi T, Sato T, Nakagawa T, Fujimura T, Fukuhara H, Moriya K, Homma Y.	Prevalence and characteristics of fecal antimicrobial-resistant <i>Escherichia coli</i> in a cohort of Japanese men undergoing prostate biopsy.	Int J Urol	24	295–300	2017
9	Koyama Y, Morikawa T, Miyakawa J, Miyama Y, Nakagawa T, Homma Y, Fukayama M.	Diagnostic utility of Ki-67 immunohistochemistry in small endoscopic biopsies of the ureter and renal pelvis.	Pathol Res Pract	213	737–741	2017

No.	Author	Title	Journal	Vol.	Page	Year
10	Makino K, Nakagawa T, Kanatani A, Kawai T, Taguchi S, Otsuka M, Matsumoto A, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Homma Y.	Biphasic decline in renal function after radical cystectomy with urinary diversion.	Int J Clin Oncol	22	359–365	2017
11	Misawa A, Takayama K.I, Fujimura T, Homma Y, Suzuki Y, Inoue S.	Androgen-induced lncRNA POTEF-AS1 regulates apoptosis-related pathway to facilitate cell survival in prostate cancer cells.	Cancer Sci	108	373–379	2017
12	Miyakawa J, Morikawa T, Miyama Y, Nakagawa T, Kawai T, Homma Y, Fukayama M.	Loss of Stromal Antigen 2 (STAG2) Expression in Upper Urinary Tract Carcinoma: Differential Prognostic Effect According to the Ki-67 Proliferating Index.	Ann Surg Oncol	24	4059–4066	2017
13	Miyazaki H, Hirano Y, Kato S, Ioritani N, Ichikawa T, Takamoto H, Homma Y.	Early Experiences of Contact Laser Vaporization of the Prostate using the 980 nm High Power Diode Laser for Benign Prostatic Hyperplasia.	Low Urin Tract Symptoms.			2017
14	Naito A, Taguchi S, Nakagawa T, Matsumoto A, Nagase Y, Tabata M, Miyakawa J, Suzuki M, Nishimatsu H, Enomoto Y, S. Takahashi S, Okanoya T, Yamada D, Tachikawa T, Minowada S, Fujimura T, Fukuhara H, Kume H, Homma Y.	Prognostic significance of serum neuron-specific enolase in small cell carcinoma of the urinary bladder.	World J Urol	35	97–103	2017
15	Nakagawa T, Komemushi Y, Kawai T, Otsuka M, Miyakawa J, Uemura Y, Kanatani A, Taguchi S, Naito A, Suzuki M, Nishimatsu H, Hirano Y, Tanaka Y, Matsumoto A, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y.	Efficacy of post-nephroureterectomy cisplatin-based adjuvant chemotherapy for locally advanced upper tract urothelial carcinoma: a multi-institutional retrospective study.	World J Urol	35	1569–1575	2017
16	Nakagawa T, Taguchi S, Kanatani A, Kawai T, Ikeda M, Urakami S, Matsumoto A, Komemushi Y, Miyakawa J, Yamada D, Suzuki M, Enomoto Y, Nishimatsu H, Kondo Y, Nagase Y, Hirano Y, Okanoya T, Tanaka Y, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y.	Oncologic Outcome of Metastasectomy for Urothelial Carcinoma: Who Is the Best Candidate?	Ann Surg Oncol	24	2794–2800	2017
17	Nakagawa T, Taguchi S, Uemura Y, Kanatani A, Ikeda M, Matsumoto A, Yoshida K, Kawai T, Nagata M, Yamada D, Komemushi Y, Suzuki M, Enomoto Y, Nishimatsu H, Ishikawa A, Nagase Y, Kondo Y, Tanaka Y, Okanoya T, Hirano Y, Shinohara M, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y.	Nomogram for predicting survival of postcystectomy recurrent urothelial carcinoma of the bladder.	Urol Oncol	35	457e415–457 e421	2017
18	Sugihara T, Ishikawa A, Takamoto T, Kinoshita Y, Minami T, Yamada Y, Homma Y, Makuuchi M.	"Three-Dimensional Volume Rendering of Entrapped Malecot Nephrostomy Catheter by Granulation Tissue.	Urol Case Rep	12	64–66	2017
19	Sugihara T, Yasunaga H, Matsui H, Nagao G, Ishikawa A, Fujimura T, Fukuhara H, Fushimi K, Ohori M, Homma Y.	Accessibility to surgical robot technology and prostate-cancer patient behavior for prostatectomy.	Jpn J Clin Oncol	47	647–651	2017

No.	Author	Title	Journal	Vol.	Page	Year
20	Sugiyama R, Aizawa N, Ito H, Fujimura T, Suzuki M, Nakagawa T, Fukuhara H, Kume H, Homma Y, Igawa Y.	Synergic Suppressive Effect of Silodosin and Imidafenacin on Non-Voiding Bladder Contractions in Male Rats with Subacute Bladder Outlet Obstruction.	Low Urin Tract Symptoms	9	94–101	2017
21	Taguchi S, Buti S, Fukuhara H, Otsuka M, Bersanelli M, Morikawa T, Miyazaki H, Nakagawa T, Fujimura T, Kume H, Igawa Y, Homma Y.	Benefit of adjuvant immunotherapy in renal cell carcinoma: A myth or a reality?	PLoS One	12	e0172341	2017
22	Takayama K. I , Suzuki T, Fujimura T, Yamada Y, Takahashi S, Homma Y, Suzuki Y, Inoue S.	Dysregulation of spliceosome gene expression in advanced prostate cancer by RNA-binding protein PSF.	Proc Natl Acad Sci U S A	114	10461–10466	2017
23	Tsuda Y, Nakagawa T, Shinoda Y, Kanatani A, Kawai T, Taguchi S, Yamada Y, Sawada R, Kume H, Homma Y, Tanaka S, Kawano H.	Skeletal-related events and prognosis in urothelial cancer patients with bone metastasis.	Int J Clin Oncol	22	548–553	2017
24	Yamada Y, Fujimura T, Fukuhara H, Sugihara T, Miyazaki H, Nakagawa T, Kume H, Igawa Y, Homma Y.	Overactive bladder is a negative predictor of achieving continence after robot-assisted radical prostatectomy.	Int J Urol	24	749–756	2017
25	Yamada Y, Fujimura T, Fukuhara H, Sugihara T, Nakagawa T, Kume H, Igawa Y, Homma Y.	Predictors of Early Continence after Robot-assisted Radical Prostatectomy.	Low Urin Tract Symptoms			2017
26	YamadaY, Fujimura T, Fukuhara H, Sugihara T, Takemura K, Kakutani S, Suzuki M, Nakagawa T, Kume H, Igawa Y, Homma Y.	Incidence and risk factors of inguinal hernia after robot-assisted radical prostatectomy.	World J Surg Oncol	15	61	2017
27	Yamada Y, Takayama K.I, Fujimura T, Ashikari D, Obinata D, Takahashi S, Ikeda K, Kakutani S, Urano T, Fukuhara H, Homma Y, Inoue S.	A novel prognostic factor TRIM44 promotes cell proliferation and migration, and inhibits apoptosis in testicular germ cell tumor.	Cancer Sci	108	32–41	2017
28	Yokoyama O, Nishizawa O, Homma Y, Takeda M, Gotoh M, Kakizaki H, Akino H, Hayashi K, Yonemoto K, Group O.P.	Nocturnal Polyuria and Hypertension in Patients with Lifestyle Related Diseases and Overactive Bladder.	J Urol	197	423–431	2017
29	Matsushima H.	Androgen deprivation therapy induces vitamin K loss in men with prostate cancer.	Biol Med	9	404–409	2017

No.	Author	Title	Journal	Vol.	Page	Year
30	Hakozaki Y, Matsushima H, Kumagai J, Murata T, Masuda T, Hirai Y, Oda M, Kawauchi N, Yokoyama M, Homma Y.	A prospective study of magnetic resonance imaging and ultrasonography (MRI/US)-fusion targeted biopsy and concurrent systematic transperineal biopsy with the average of 18-cores to detect clinically significant prostate cancer.	BMC urology	17	117–122	2017
31	Nakamura M, Zhang Y, Yang Y, Sonmez C, Zheng W, Huang G, Seki T, Iwamoto H, Ding B, Yin L, Foukakis T, Hatschek T, Li X, Hosaka K, Li J, Yu G, Wang X, Liu Y, Cao Y.	Off-tumor targets compromise antiangiogenic drug sensitivity by inducing kidney erythropoietin production.	PNAS	114(45)	E9635–E9644	2017
32	Nakagawa T, Komemushi Y, Kawai T, Otsuka M, Miyakawa J, Uemura Y, Kanatani A, Taguchi S, Naito A, Suzuki M, Nishimatsu H, Hirano Y, Tanaka Y, Matsumoto A, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y.	Oncological Outcome of Metastasectomy for Urothelial Carcinoma: Who is the Best Candidate?	Ann Surg Oncol	27	2794–2800	2017
33	Nakagawa T, Komemushi Y, Kawai T, Otsuka M, Miyakawa J, Uemura Y, Kanatani A, Taguchi S, Naito A, Suzuki M, Nishimatsu H, Hirano Y, Tanaka Y, Matsumoto A, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y.	Efficacy of post-nephroureterectomy cisplatin-based adjuvant chemotherapy for locally advanced upper tract urothelial carcinoma: a multi-institutional retrospective study.	World J Urol	35	1569–1575,	2017
34	Yamada Y, Fujimura T, Fukuhara H, Sugihara T, Takemura K, Kakutani S, Suzuki M, Nakagawa T, Kume H, Igawa Y, Homma Y.	Incidence and risk factors of inguinal hernia after robot-assisted radical prostatectomy.	World J Surg Oncol	15	61	2017
35	Nakagawa T, Taguchi S, Uemura Y, Kanatani A, Ikeda M, Matsumoto A, Yoshida K, Kawai T, Nagata M, Yamada D, Komemushi Y, Suzuki M, Enomoto Y, Nishimatsu H, Ishikawa A, Nagase Y, Kondo Y, Tanaka Y, Okanoya T, Hirano Y, Shinohara M, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y.	Nomogram for predicting survival of postcystectomy recurrent urothelial carcinoma of the bladder.	Urol Oncol	35	457.e15–457.e21	2017
36	Yoshida M, Igawa Y, Higashimura S, Suzuki M, Niimi A, Sanada H.	Translation and reliability and validity testing of a Japanese version of the Intermittent Self-Catheterization Questionnaire.	Neurourol Urodynam	36	1356–1362	2017
37	Buti S, Puligandla M, Bersanelli M, DiPaola R, Manola J, Taguchi S, Haas NB.	Validation of a new prognostic model to easily predict outcome in renal cell carcinoma: the GRANT score applied to the ASSURE trial population.	Ann Oncol	28	2747–2753	2017
38	Yoshida M, Igawa Y, Higashimura S, Suzuki M, Niimi A, Sanada H.	Translation and reliability and validity testing of a Japanese version of the Intermittent Self-Catheterization Questionnaire among disposable and reusable catheter users	Neurourol Urodyn	36	1356–1362	2017
39	Kawai T, Tanaka Y; Cancer Registration Committee of the Japanese Urological Association.	Clinical characteristics of testicular germ cell tumors in patients aged 50 years and older: A large-scale study from the Cancer Registration Committee of the Japanese Urological Association.	Int J Urol	24	124–128	2017

No.	Author	Title	Journal	Vol.	Page	Year
40	Obara W, Eto M, Mimata H, Kohri K, Mitsuhasha N, Miura I, Shuin T, Miki T, Koie T, Fujimoto H, Minami K, Enomoto Y, Nasu T, Yoshida T, Fuse H, Hara I, Kawaguchi K, Arimura A, Fujioka T.	A phase I/II study of cancer peptide vaccine S-288310 in patients with advanced urothelial carcinoma of the bladder.	Ann Oncol	28	798-8-3	2017

英文報告

(2) 英文総説

No.	Author	Title	Journal	Vol.	Page	Year
1	Igawa Y, Aizawa N.	Incontinence: How do β 3-adrenoceptor agonists work in the bladder?	Nat Rev Urol	14	330–332	2017
2	Ito H, Pickering AE, Igawa Y, Kanai AJ, Fry CH, Drake MJ.	Muro–Neuro–Urodynamics; a review of the functional assessment of mouse lower urinary tract function.	Front Physiol	8	49	2017
3	Taguchi S, Fukuhara H, Homma Y, Todo T.	Current status of clinical trials assessing oncolytic virus therapy for urological cancers.	Int J Urol	24	342–351	2017
4	Horita S, Nakamura M, Suzuki M, Satoh N, Suzuki A, Homma Y, Nangaku M.	The role of renal proximal tubule transport in the regulation of blood pressure.	Kidney Res Clin Pract	36	12–21	2017
5	Sawada R, Shinoda Y, Niimi A, Nakagawa T, Ikegami M, Kobayashi H, Homma Y, Haga N, Tanaka S.	Multiple acrometastases in a patient with renal pelvic urothelial cancer.	Case Rep Urol.		7830207	2017

英文報告

(3) 英文症例報告

No.	Author	Title	Journal	Vol.	Page	Year
1	Sugihara T, Ishikawa A, Takamoto T, Kinoshita Y, Minami T, Yamada Y, Homma Y, Makuuchi M.	Three-Dimensional Volume Rendering of Entrapped Malecot Nephrostomy Catheter by Granulation Tissue.	Urol Case Rep	12	64–6	2017
2	Ikeda M, Kobayashi T, Suzuki T, Wakabayashi Y, Ohama Y, Maekawa S, Takahashi S, Homma Y, Tatsuno K, Sato T, Okugawa S, Moriya K, Yotsuyanagi H.	Propionimicrobium lymphophilum and Actinotignum schaalii bacteremia with urinary tract infection: a case report.	New Microbes New Infect	18	18–21	2017
3	Matsuki R, Okuda K, Mitani A, Yamauchi Y, Tanaka G, Kume H, Homma Y, Hinata M, Hayashi A, Shibahara J, Fukayama M, Nagase T.	A case of delayed exacerbation of interstitial lung disease after discontinuation of temsirolimus.	Respir Med Case Rep	22	158–163	2017

英文報告

(4) 英文その他

No.	Author	Title	Book name	Page	Editors	Publication	Year
1	Salvatore S, Rademakers K, DeLancey J, Igawa Y, Koelbl H, Laterza RM, Serati M, Sultan A, Sievert KD, Lowry A.	Pathophysiology of urinary incontinence, faecal incontinence, and pelvic organ prolaps.	Incontinence 6th Edition	361–495	Abrams P, Cardozo L, Wagg A, Wein A	ICS ICUD 2016	2017

英文報告**(4) 英文その他**

No.	Author	Title	Journal	Vol.	Page	Year
1	Taguchi S, Fukuhara H, Homma Y.	Re: Very Early Salvage Radiotherapy Improves Distant Metastasis-Free Survival: A. Abugharib, W. C. Jackson, V. Tumati, R. T. Dess, J. Y. Lee, S. G. Zhao, M. Soliman, Z. S. Zumsteg, R. Mehra, F. Y. Feng, T. M. Morgan, N. Desai and D. E. Spratt J Urol 2017;197:662–668.	J Urol	198	212–214	2017
2	Igawa Y.	Managing LUTS: Alpha-blockers: A relief for benign prostatic obstruction or only for LUTS improvement?	European Urology Today Congress News	First edition	5	2017