

## 東京大学泌尿器科 2019年度 業績一覧 (英語論文)

1. Yamada D, Kume H, Miyazaki H, Tanaka M, Takata M, Uemura Y, Morikawa T, Enomoto Y, Suzuki M, Nishimatsu H, Nakagawa T, Fujimura T, Fukuhara H, Igawa Y and Homma Y. A prospective randomized controlled study on the Suppression of Prostate Cancer by Naftopidil (SNAP). *Preventive Medicine and Community Health*, 1(1) , 1-6, 2018.
2. Takizawa A, Kawai K, Kawahara T, Kojima T, Maruyama S, Shinohara N, Akamatsu S, Kamba T, Nakamura T, Ukimura O, Jikuya R, Kishida T, Kakimoto K, Nishimura K, Harabayashi T, Nagamori S, Yamashita S, Arai Y, Sawada Y, Sekido N, Kinoshita H, Matsuda T, Nakagawa T, Homma Y, Nishiyama H. The usefulness of testosterone administration in identifying false-positive elevation of serum human chorionic gonadotropin in patients with germ cell tumor. *J Cancer Res Clin Oncol*, 144, 109-115, 2018.
3. Azuma T, Matayoshi Y, Sato Y, Nagase Y. Effect of dutasteride on castration-resistant prostate cancer. *Mol Clin Oncol*, 8, 133-136, 2018.
4. Takizawa A, Kawai K, Kawahara T, Kojima T, Maruyama S, Shinohara N, Akamatsu S, Kamba T, Nakamura T, Ukimura O, Jikuya R, Kishida T, Kakimoto K, Nishimura K, Harabayashi T, Nagamori S, Yamashita S, Arai Y, Sawada Y, Sekido N, Kinoshita H, Matsuda T, Nakagawa T, Homma Y, Nishiyama H. The usefulness of testosterone administration in identifying false-positive elevation of serum human chorionic gonadotropin in patients with germ cell tumor. *J Cancer Res Clin Oncol*, 144, 109-15, 2018.
5. Kamei J, Ito H, Aizawa N, Hotta H, Kojima T, Fujita Y, Ito M, Homma Y and Igawa Y. Age-related changes in function and gene expression of the male and female mouse bladder. *Scientific Reports*, 8, 2089, 2018.
6. Ikebe T, Okuno R, Sasaki M, Kanda Y, Otsuka H, Kawahara R, Ohya H, Suzuki M, Uchida K, Nihonmatsu H, Ohnishi M. Molecular characterization and antibiotic resistance of *Streptococcus dysgalactiae* subspecies *equisimilis* isolated from patients with streptococcal toxic shock syndrome. *J Infect Chemother*, 24, 117-122, 2018.
7. Urakami S, Inoshita N, Oka S, Miyama Y, Nomura S, Arai M, Sakaguchi K, Kurosawa K, Okaneya T. Clinicopathological characteristics of patients with upper urinary tract urothelial cancer with loss of immunohistochemical expression of the DNA mismatch repair proteins in universal screening. *Int J Urol*, 25, 151-156, 2018.
8. Akiyama Y, Maeda D, Morikawa T, Niimi A, Nomiya A, Yamada Y, Igawa Y, Goto A, Fukayama M, Homma Y. Digital quantitative analysis of mast cell infiltration in interstitial cystitis. *Neurourol Urodyn*, 37, 650-7, 2018.
9. Matsumoto A, Nakagawa T, Kanatani A, Ikeda M, Kawai T, Miyakawa J, Taguchi, S, Naito A, Otsuka M, Nakanishi Y, Suzuki M, Koga F, Nagase Y, Kondo Y, Okaneya T, Tanaka Y, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y. Preoperative chronic kidney disease is

- predictive of oncological outcome of radical cystectomy for bladder cancer. *World J Urol*, 36, 249-56, 2018.
10. Aruga S, Kuwana N, Shiroki Y, Takahashi S, Samejima N, Watanabe A, Seki Y, Igawa Y and Homma Y. Effect of cerebrospinal fluid shunt surgery on lower urinary tract dysfunction in idiopathic normal pressure hydrocephalus. *Neurourol Urodyn*, 37, 1053-1059, 2018.
  11. Kamei J, Yazawa S, Yamamoto S, Kaburaki N, Takahashi S, Takeyama M, Koyama M, Homma Y, Arakawa S, Kiyota H. Risk factors for surgical site infection after transvaginal mesh placement in a nationwide Japanese cohort. *Neurourol Urodyn*, 37, 1074-1081, 2018.
  12. Niimi A, Igawa Y, Aizawa N, Honma T, Nomiya A, Akiyama Y, Kamei J, Fujimura T, Fukuhara H and Homma Y. Diagnostic value of urinary CXCL10 as a biomarker for predicting Hunner type interstitial cystitis. *Neurourol Urodyn*, 37, 1113-1119, 2018.
  13. Chen L, Azuma T (equally first author), Yu W, Zheng X, Luo L, Chen L. B7-H1 Maintains the Polyclonal T-Cell Response by Protecting Dendritic Cells from Cytotoxic T Lymphocyte Destruction. *Proc Natl Acad Sci U S A*, 115, 3126-3131, 2018.
  14. Takada I, Tsuchiya M, Yanaka K, Hidano S, Takahashi S, Kobayashi T, Ogawa H, Nakagawa S, Makishima M. Ess2 bridges transcriptional regulators and spliceosomal complexes via distinct interacting domains. *Biochem Biophys Res Commun*, 2, 597-604, 2018.
  15. Akiyama Y, Niimi A, Nomiya A, Yamada Y, Nakagawa T, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y. Extent of Hunner lesions: The relationships with symptom severity and clinical parameters in Hunner type interstitial cystitis patients. *Neurourol Urodyn*, 37, 1441-1447, 2018.
  16. Fujisaki A, Shigeta M, Shimoinaba M, Yoshimura Y. Influence of adequate pelvic floor muscle contraction on the movement of the coccyx during pelvic floor muscle training. *J Phys Ther Sci*, 30, 544-548, 2018.
  17. Kitamura T, Suzuki M, Koyama Y, Shigehara K. Long-term persistence of human papillomavirus in the skin of the glans penis of elderly men above 80 years of age. *Int J STD AIDS*, 29, 552-556, 2018.
  18. Sugihara T, Yasunaga H, Matsui H, Ishikawa A, Fujimura T, Fukuhara H, Fushimi K, Homma Y, Kume H. A skill degradation in laparoscopic surgery after a long absence: assessment based on nephrectomy case. *Mini-invasive surgery*, 2, 11, 2018.
  19. Kinjo M, Sekiguchi Y, Yoshimura Y, Nutahara K. Long-term Persistence with Mirabegron versus Solifenacin in Women with Overactive Bladder: Prospective, Randomized Trial. *Low Urin Tract Symptoms*, 10, 148-152, 2018.
  20. Urakami S, Ogawa K, Oka S, Hagiwara K, Nagamoto S, Anjiki H, Hayashida M, Yano A, Sakaguchi K, Kurosawa K, Okaneya T. Effect of tadalafil add-on therapy in patients with persistent storage symptoms refractory to  $\alpha 1$ -adrenoceptor antagonist monotherapy for benign

prostatic hyperplasia: A randomized pilot trial comparing tadalafil and solifenacin. *Low Urin Tract Symptoms*, 2018.

21. Otsuka M, Taguchi S, Nakagawa T, Morikawa T, Maekawa S, Miyakawa J, Matsumoto A, Miyazaki H, Fujimura T, Fukuhara H, Kume H, Igawa Y, Homma Y. Clinical significance of random bladder biopsy in primary T1 bladder cancer. *Mol Clin Oncol*, 8, 665-70, 2018.
22. Makino K, Nakagawa T, Ito E, Kasahara I, Murata T, Fujimura T, Fukuhara H, Homma Y. Oncological and peri-surgical outcomes of radical prostatectomy for non-metastatic prostate cancer with prostate-specific antigen level of 50 ng/mL or greater. *Jpn J Clin Oncol*, 48, 485-90, 2018.
23. Aizawa N, Fujimori Y, Kobayashi J, Nakanishi O, Hirasawa H, Kume H, Homma Y, Igawa Y. KPR-2579, a novel TRPM8 antagonist, inhibits hyperactivity of the primary bladder afferent nerves induced by acetic acid in rats. *Neurourol Urodyn*, 37, 1633-1640, 2018.
24. Sato M, Taguchi A, Fukui Y, Kawata A, Taguchi S, Kashiyaama T, Eguchi S, Inoue T, Tomio K, Tanikawa M, Sone K, Mori M, Nagasaka K, Adachi K, Ikemura M, Domoto Y, Arimoto T, Oda K, Fukayama M, Osuga Y, Fujii T. Blood vessel invasion is a strong predictor of postoperative recurrence in endometrial cancer. *International Journal of Gynecological Cancer*, 28(5), 875-881, 2018.
25. Obinata D, Sugihara T, Yasunaga H, Mochida J, Yamaguchi K, Murata Y, Yoshizawa T, Matsui T, Matsui H, Sasabuchi Y, Fujimura T, Homma Y, Takahashi S. Tension-free vaginal mesh surgery versus laparoscopic sacrocolpopexy for pelvic organ prolapse: Analysis of perioperative outcomes using a Japanese national inpatient 2018 database. *Int J Urol*, 25(7), 655-659, 2018.
26. Taguchi S, Fukuhara H, Miyakawa J, Morikawa T, Naito A, Kawai T, Fujimura T, Kume H. Prognostic significance of neutrophil-to-lymphocyte ratio in collecting duct carcinoma. *Jpn J Clin Oncol*, 48, 692-694, 2018.
27. Azuma T, Sato Y, Ohno T, Azuma M, Kume H. Serum soluble B7-H4 is a prognostic marker for patients with non-metastatic clear cell renal cell carcinoma. *PLoS One*, 25; 13(7), e0199719, 2018.
28. Kinjo M, Yoshimura Y, Kitagawa Y, Okegawa T, Nutahara K. Sexual activity and quality of life in Japanese pelvic organ prolapse patients after transvaginal mesh surgery. *J Obstet Gynaecol Res*, 44, 1302-1307, 2018.
29. Hakozaki Y, Murata T, Yokoyama M, Matsushima H, Ogawa M, Masuda T, Hirai Y, Kume H. Gastric neuroendocrine carcinoma with positive staining for prostate cancer markers including prostate-specific antigen and alpha-methylacyl-CoA racemase. *Urol Case Rep*, 20, 67-69, 2018.
30. Aizawa N, Watanabe D, Fukuhara H, Fujimura T, Kume H, Homma Y, Igawa Y. Inhibitory effects of silodosin on the bladder mechanosensitive afferent activities and their relation with bladder myogenic contractions in male rats with bladder outlet obstruction. *Neurourol Urodyn*, 37(6),

1897-1903, 2018.

31. Otsuka M, Kamasako T, Uemura T, Takeshita N, Shinozaki T, Kobayashi M, Komaru A, Fukasawa A. Factors predicting biochemical recurrence after radical prostatectomy among patients with clinical T3 prostate cancer. *Jpn J Clin Oncol*, 48, 760-764, 2018.
32. Kotabe K, Kume H et al. Relationship between rectal bleeding and the absolute dose volume of the rectum after image-guided radiotherapy for patients with prostate cancer. *Oncol Lett*, 16(2), 2741-49, 2018.
33. Oka S, Inoshita N, Miura Y, Oki R, Miyama Y, Nagamoto S, Ogawa K, Sakaguchi K, Kondoh C, Kurosawa K, Urakami S, Takano T, Okaneya T. The loss of BAP1 protein expression predicts poor prognosis in patients with nonmetastatic clear cell renal cell carcinoma with inferior vena cava tumor thrombosis. *Urol Oncol*, 36, 365.e9-365.e14, 2018.
34. Yamada Y, Fujimura T, Fukuhara H, Sugihara T, Nakagawa T, Kume H, Igawa Y, Homma Y. Predictors of Early Continence after Robot-assisted Radical Prostatectomy. *Low Urin Tract Symptoms*, 3, 287-291, 2018.
35. Miyama Y, Morikawa T, Miyakawa J, Koyama Y, Kawai T, Kume H, Fukayama M. The prognostic value of PD-L1 expression in upper tract urothelial carcinoma varies according to platelet count. *Cancer Med*, 7, 4330-4338, 2018.
36. Otsuka M, Kamasako T, Uemura T, Takeshita N, Shinozaki T, Kobayashi M, Komaru A, Fukasawa S. The prognostic role of the preoperative serum albumin/globulin ratio after radical nephroureterectomy for upper tract urothelial carcinoma. *Int J Urol*, 25, 871-878, 2018.
37. Miyamoto Y, Hamasaki Y, Matsumoto A, Doi K, Noiri E, Nangaku M. Prediction of immunoglobulin M reduction via therapeutic dose of simple plasma exchange and double filtration plasmapheresis using membrane separation in patients with hyperviscosity syndrome caused by Waldenstrom macroglobulinemia. *J Clin Apher*, 33, 611-615, 2018.
38. Kamei J, Aizawa N, Nakagawa T, Kaneko S, Kume H, Homma Y, Igawa Y. Attenuated lipopolysaccharide-induced inflammatory bladder hypersensitivity in mice deficient of transient receptor potential ankinin1. *Sci Rep*, 8, 15622, 2018.
39. Krassioukov A, Igawa Y, Averbeck MA, Madersbacher H, Lloyd AJ, Bøgelund M, Thiruchelvam N. Gains in health utility associated with urinary catheter innovations. *Med Devices (Auckl)*, 11, 345-351, 2018.
40. Averbeck MA, Krassioukov A, Thiruchelvam N, Madersbacher H, Bøgelund M, Igawa Y. The impact of different scenarios for intermittent bladder catheterization on health state utilities: results from an internet-based time trade-off survey. *J Med Econ*, 21, 345-952, 2018.
41. Yamaguchi T, Higashihara E, Okegawa T, Miyazaki I, Nutahara K. Optimal equation for estimation of glomerular filtration rate in autosomal dominant polycystic kidney disease: influence of tolvaptan. *Clin Exp Nephrol*, 22, 1213-1223, 2018.

42. Kinoshita Y, Sugihara T, Yasuanga H, Matsui H, Ishikawa A, Fujimura T, Fukuhara H, Ishibashi Y, Fushimi K, Homma Y. Hospital-volume effects on perioperative outcomes in peritoneal dialysis catheter implantation: analysis of 2505 cases. *Perit Dial Int*, 38, 419-423, 2018.
43. Fujimura T, Fukuhara H, Yamada Y, Taguchi S, Sugihara T, Niimi A, Nakamura M, Nakagawa T, Igawa Y, Homma Y, Kume H. Aggressive cancer behavior of latent Gleason pattern 5 in prostatectomy specimen. *Anticancer Research*, 38(11), 6529-35, 2018.
44. Mizuno T, Nakamura M, Satoh N, Tsukada H, Matsumoto A, Hamasaki Y, Kume H, Nangaku M. Patency with antiplatelet treatment after vascular access intervention therapy: a retrospective observational study. *Renal Replacement Therapy*, 4, 43, 2018.
45. Matsushima H. [Bone and calcium metabolism associated with malignancy. Bone management of prostate cancer in the novel anti-androgen era.] *Clin Calcium*, 28(11), 1535-1544, 2018.
46. Kimura N, Yamada Y, Takayama K, Fujimura T, Takahashi S, Kume H, Inoue S. Androgen-responsive TRIM36 enhances tumor-suppressive effect by regulating apoptosis-related pathway in prostate cancer. *Cancer Science*, 109(12), 3840-52, 2018.
47. Kojima T, Nishiyama H, Ozono S, Hinotsu S, Keino N, Yamaguchi A, Sakai H, Enomoto Y, Horie S, Fujimoto K, Matsuyama H, Okamura T, Kanimoto Y, Oya M, Nonomura N, Naito S, Akaza H. Clinical evaluation of two consecutive UroVysion fluorescence in situ hybridization tests to detect intravesical recurrence of bladder cancer: a prospective blinded comparative study in Japan. *Int J Clin Oncol*, 23, 1140, 2018.